

**In the Claims:**

1-105. (Cancelled.)

106. (Currently amended.) A selectively configured porous particulate material comprising a porous particulate material treated with a treatment material selected from the group consisting of liquid resin, plastic, cement, sealant ~~or~~ and binder, ~~wherein~~ wherein: (i) the porous particulate ~~material~~ material, prior to treatment, has inherent or induced fluid permeability; (ii) the porous particulate material is selected from the group consisting of porous ceramics, polyolefins, styrene-divinylbenzene copolymers and polyalkylacrylate esters; (iii) the apparent specific gravity of the selectively configured porous particulate material is less than the apparent specific gravity of the porous particulate ~~material~~ material, prior to treatment; and (iv) the porous particulate material is not a cluster of particulates.

107. (Previously presented.) The selectively configured porous particulate material of Claim 106, wherein the porous particulate material is a natural or non-natural porous ceramic.

108. (Previously presented.) The selectively configured porous particulate material of Claim 106, wherein the selectively configured porous particulate material exhibits crush resistance under conditions as high as 10,000 psi closure stress.

109. (Currently amended.) The selectively configured porous particulate material of Claim 106, wherein the porous particulate ~~material~~ material, prior to treatment, has a porosity and fluid permeability such that a fluid may be drawn at least partially into its matrix by capillary action.

110. (Currently amended.) The selectively configured porous particulate material of Claim 106, wherein the porous particulate ~~material~~ material, prior to treatment, has a porosity and fluid permeability such that a penetrating material may be (i) drawn at least partially into its matrix using a vacuum; (ii) forced at least partially into its porous matrix under pressure; or (iii) a combination of (i) and (ii).

111. (Cancelled.)

112. (Currently amended.) The selectively configured porous particulate material of Claim 106, wherein the ~~selectively configured porous particulate material is a porous particulate material treated with a~~ treatment material is selected from phenol, phenol formaldehyde, melamine formaldehyde, urethane or epoxy resin.

113. (Cancelled.)

114. (Currently amended.) The selectively configured porous particulate material of Claim 130, wherein the ~~selectively configured porous particulate material is a porous particulate material treated with~~ treatment material is a penetrating, penetrating coating, a glassy glazing material or a combination thereof which is capable of trapping or encapsulating a fluid having an apparent specific gravity less than the apparent specific gravity of the matrix of the porous particulate material.

115. (Currently amended.) The selectively configured porous particulate material of Claim 114, wherein the fluid capable of being trapped or encapsulated is a gas.

116. (Previously presented.) The selectively configured porous particulate material of Claim 106, having a size between from about 200 mesh to about 8 mesh.

117. (Cancelled.)

118. (Cancelled.)

119. (Currently amended.) The selectively configured porous particulate material of Claim 106, wherein the fluid permeability of the selectively configured porous particulate material is less than the fluid permeability of the porous particulate ~~material~~ material, prior to treatment.

120. (Cancelled.)

121. (Cancelled.)

122. (Currently amended.) The selectively configured porous particulate material of Claim 106, wherein the porous particulate ~~material~~ material, prior to treatment, has a maximum length-based aspect ratio ~~of~~ equal to or less than about 5.

123. (Previously presented.) A composition comprising the selectively configured porous particulate material of Claim 106 and a carrier fluid.

124. (Currently amended.) The composition of Claim 123, wherein the porous particulate ~~material~~ material, prior to treatment, ~~of the selectively configured porous particulate material~~ is (i) relatively lightweight, (ii) substantially neutrally buoyant or a combination of (i) and (ii).

125. (Previously presented.) The composition of Claim 123, wherein the carrier fluid is non-gelled.

126. (Previously presented.) The composition of Claim 123, wherein the carrier fluid is a completion or workover brine.

127. (Previously presented.) The composition of Claim 123, wherein the carrier fluid is salt water, fresh water, a liquid hydrocarbon, or a gas or a mixture thereof.

128. (Previously presented.) The composition of Claim 127, wherein the gas is nitrogen or carbon dioxide.

129. (Previously presented.) The composition of Claim 123, further comprising at least one member selected from the group consisting of gelling agents, crosslinking agents, gel breakers, surfactants, foaming agents, demulsifiers, buffers, clay stabilizers, acids and mixtures thereof.

130. (Currently amended.) A selectively configured porous particulate material comprising a porous particulate material coated or penetrated with a treatment material selected from the group consisting of liquid resin, plastic, cement, sealant ~~or~~ and binder, ~~wherein wherein:~~ (i) the porous particulate ~~material~~ material, prior to coating or penetration, has inherent or induced fluid permeability; (ii) the porous particulate material is selected from the group consisting of porous ceramics, polyolefins, styrene-divinylbenzene copolymers and polyalkylacrylate esters; (iii) the strength of the selectively configured porous particulate material is greater than the strength of the porous particulate ~~material~~ material, prior to coating or penetration; and (iv) the porous particulate material is not a cluster of particulates.

131. (Currently amended.) The selectively configured porous particulate material of Claim 130, wherein the porous particulate ~~material~~ material, prior to coating or penetration, has a porosity and fluid permeability such that a fluid may be drawn at least partially into its matrix by capillary action.

132. (Cancelled.)

133. (Cancelled.)

134. (Cancelled.)

135. (Currently amended.) The selectively configured porous particulate material of Claim 130, wherein the porous particulate ~~material~~ material, prior to coating or penetration, is (i) relatively lightweight, (ii) substantially neutrally buoyant or a combination of (i) and (ii).

136. (Previously presented.) A composition comprising the selectively configured porous particulate material of Claim 130 and a carrier fluid.

137. (Currently amended.) A selectively configured porous particulate material comprising a porous particulate material ~~having inherent or induced permeability which is treated or modified with a glassy glazing material~~ material, wherein the porous particulate material, prior to treatment or modification, has inherent or induced fluid permeability.

138. (Currently amended.) The selectively configured porous particulate material of Claim 137, wherein the apparent density or apparent specific gravity of the selectively configured porous particulate material is less than the apparent density or apparent specific gravity of the porous particulate ~~material~~ material, prior to treatment or modification.

139. (Previously presented.) The selectively configured porous particulate material of Claim 137, wherein the glazed surface enhances the ease of multi-phase fluid flow through a particulate pack.

140. (Cancelled.)

141. (Cancelled.)

142. (Cancelled.)

143. (Cancelled.)

144. (Cancelled.)

145. (Previously presented.) The selectively configured porous particulate material of Claim 137, wherein the porous particulate material is a natural or non-natural porous ceramic.

146. (Cancelled.)

147. (Cancelled.)

148. (Cancelled.)

149. (Cancelled.)

150. (Previously presented.) A composition comprising the selectively configured porous particulate material of Claim 137 and a carrier fluid.

151. (Previously presented.) The composition of Claim 150, wherein the carrier fluid is non-gelled.

152. (Currently amended.) The composition of Claim 150, wherein the porous ~~particulate of the selectively configured porous particulate material~~ particulate material, prior to

treatment or modification, is (i) relatively lightweight, (ii) substantially neutrally buoyant or a combination of (i) and (ii).

153. (Previously presented.) The composition of Claim 150, wherein the carrier fluid is a completion or workover brine.

154. (Previously presented.) The composition of Claim 150, wherein the carrier fluid is liquefied or foamed.

155. (Cancelled.)

156. (Cancelled.)

157. (Cancelled.)

158. (Cancelled.)

159. (Cancelled.)

160. (Currently amended.) The selectively configured porous particulate material of Claim 114, wherein a clay stabilizer is ~~applied~~ applied, prior to coating or penetration, to the exterior surface of the porous particulate material to inhibit penetration of the ~~coating or penetrating treatment~~ material.

161. (Currently amended.) A selectively configured porous particulate material comprising a porous particulate material ~~having~~ coated with a coating layer of thickness from about 1 to about 5 microns, ~~wherein~~ wherein: (i) the porous particulate material, prior to coating, has inherent or induced permeability and fluid permeability; (ii) the porous particulate material is selected from the group consisting of porous ceramics, polyolefins, styrene-divinylbenzene copolymers and polyalkylacrylate esters, and further wherein esters; (iii) the apparent specific gravity of the selectively configured porous particulate material is less than the apparent specific gravity of the porous particulate material, prior to coating; and (iv) the porous particulate material is not a cluster of particulates.

162. (Previously presented.) The selectively configured porous particulate material of Claim 161, wherein the porous particulate material is a natural or non-natural porous ceramic.

163. (Currently mended.) The selectively configured porous particulate material of Claim 161, wherein the porous particulate ~~material~~ material, prior to coating has a porosity and fluid permeability such that a fluid may be drawn at least partially into its matrix by capillary action.

164. (Currently amended.) The selectively configured porous particulate material of Claim 161, wherein the fluid permeability of the selectively configured porous particulate material is less than the fluid permeability of the porous particulate material.

165. (Currently amended.) The selectively configured porous particulate material of Claim 161, wherein ~~individual particles of the porous particulate material have~~ material, prior to coating, has a maximum length-based aspect ratio of equal to or less than about 5.

166. (Previously presented.) A composition comprising the selectively configured porous particulate material of Claim 161 and a carrier fluid.

167. (Currently amended.) The composition of Claim 166, wherein the porous particulate ~~material of the selectively configured porous particulate material~~ material, prior to coating, is (i) relatively lightweight, (ii) substantially neutrally buoyant or a combination of (i) and (ii).

168. (Previously presented.) The composition of Claim 166, wherein the carrier fluid is salt water, fresh water, a liquid hydrocarbon, or a gas or a mixture thereof.

169. (Cancelled.)

170. (Previously presented.) The selectively configured porous particulate material of Claim 130, wherein the porous particulate material is a natural or non-natural porous ceramic.

171. (Cancelled.)

172. (Cancelled.)

173. (Cancelled.)

174. (Cancelled.)

175. (Previously presented.) A composition comprising the selectively configured porous particulate material of Claim 181 and a carrier fluid.

176. (Currently amended.) The composition of Claim 175, wherein the porous particulate ~~material of the selectively configured porous particulate material~~ material, prior to treatment or modification, is (i) relatively lightweight, (ii) substantially neutrally buoyant or a combination of (i) and (ii).

177. (Previously presented.) The composition of Claim 175, wherein the carrier fluid is non-gelled.

178. (Previously presented.) The composition of Claim 175, wherein the carrier fluid is a completion or workover brine.

179. (Previously presented.) The composition of Claim 175, wherein the carrier fluid is salt water, fresh water, a liquid hydrocarbon, or a gas or a mixture thereof.

180. (Cancelled.)

181. (Currently amended.) A selectively configured porous particulate material comprising a porous particulate material ~~having inherent or induced permeability~~ treated or modified with a glazing material, the glazing material having been fired onto the porous particulate ~~material~~ material, wherein the porous particulate material, prior to treatment or modification, has inherent or induced fluid permeability.

182. (Previously presented.) The selectively configured porous particulate material of Claim 181, wherein the glazing material is selected from the group consisting of magnesium oxide-based materials, boric acid, boric oxide-based materials and powdered glass with oxides.

183. (Previously presented.) The selectively configured porous particulate material of Claim 181, wherein the glazed surface enhances the ease of multi-phase fluid flow through a particulate pack.

184. (Previously presented.) The selectively configured porous particulate material of Claim 181, wherein the glazed surface of the porous particulate material enhances the ease of high rate turbulent gas flow through a particulate pack.

185. (Currently amended.) A selectively configured porous particulate material ~~comprising a porous particulate material having inherent or induced permeability~~ prepared by coating onto ~~the~~ a porous particulate material a smooth, glassy glazing material and firing the glazing material onto the porous particulate ~~material~~ material, wherein the porous particulate material, prior to coating, has inherent or induced fluid permeability.

186. (Previously presented.) The selectively configured porous particulate material of Claim 130, having a size between from about 200 mesh to about 8 mesh.

187. (Previously presented.) The composition of Claim 136, wherein the carrier fluid is non-gelled.

188. (Previously presented.) The composition of Claim 136, wherein the carrier fluid is salt water, fresh water, a liquid hydrocarbon, or a gas or a mixture thereof.

189. (Previously presented.) The composition of Claim 188, wherein the gas is nitrogen or carbon dioxide.

190. (Previously presented.) The selectively configured porous particulate material of Claim 185, wherein the porous particulate material is a natural or non-natural porous ceramic.